



MARKING SCHEME SQP
MATHEMATICS (STANDARD)
2020-21
CLASS X

S.NO.	ANSWER	MARKS
Part-A		
1.	(LCM)(3) =180 LCM=60 OR Four decimal places	$\frac{1}{2}$ $\frac{1}{2}$ 1
2.	$\alpha + \beta = k/3$ $3 = k/3$ $K = 9$	$\frac{1}{2}$ $\frac{1}{2}$
3.	$\begin{array}{r} 3 & 1 & 3 \\ - & - & - \\ 6 & k & 8 \\ - & - & - \\ 3 & 1 & \\ - & - & \\ 6 & k & \\ K = 2 & & \end{array}$	$\frac{1}{2}$ $\frac{1}{2}$
4.	Let the cost of 1 chair=Rs.x And the cost of 1 table=Rs. y $3x+y=1500$ $6x+y=2400$	$\frac{1}{2}$ $\frac{1}{2}$
5.	$a_n = a + (n-1)d$ $0 = 27 + (n-1)(-3)$ $30 = 3n$ $n = 10$ 10^{th} OR $a_n = a + (n-1)d$ $4 = a + 6(-4)$ $a = -28$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
6.	$9x^2 + 6kx + 4 = 0$ $(6k)^2 - 4 \times 9 \times 4 = 0$ $36k^2 = 144$ $k^2 = 4$ $k = \pm 2$	$\frac{1}{2}$ $\frac{1}{2}$

7.	$\begin{aligned}x^2+7x+10=0 \\x^2+5x+2x+10=0 \\(x+5)(x+2)=0 \\X=-5, x= - 2\end{aligned}$ <p style="text-align: center;">OR</p> $\begin{aligned}3ax^2-6x+1=0 \\(-6)^2-4(3a)(1)<0 \\12a>36 \Rightarrow a>3\end{aligned}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
8.	$\begin{aligned}PQ=PT \\PL+LQ=PM+MT \\PL+LN=PM+MN \\Perimeter(\triangle PLM) \\=PL+LM+PM \\=PL+LN+MN+PM \\=2(PL+LN) \\=2(PL+LQ) \\=2\times 28=56\text{cm}\end{aligned}$	$\frac{1}{2}$ $\frac{1}{2}$
9.	 <p>In $\triangle PAO$ $\tan 30^\circ = AO/PA$ $1/\sqrt{3} = 3/PA$ $PA = 3\sqrt{3} \text{ cm}$</p> <p style="text-align: center;">OR</p>  <p>In $\triangle OPQ$ $\angle P + \angle Q + \angle O = 180^\circ$ $2\angle Q + \angle P = 180^\circ$ $2\angle Q + 90^\circ = 180^\circ$ $2\angle Q = 90^\circ$ $\angle Q = 45^\circ$</p>	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$

10.	$\frac{AD}{BD} = \frac{AE}{CE}$ $\frac{3}{4.5} = \frac{2}{CE}$ $CE = 3\text{cm}$	$\frac{1}{2}$ $\frac{1}{2}$	
11.	8:5	1	
12.	$\sin 30^\circ + \cos B = 1$ $\frac{1}{2} + \cos B = 1$ $\cos B = 1/2$ $B = 60^\circ$	$\frac{1}{2}$ $\frac{1}{2}$	
13.	$x+y$ $= 2\sin^2\theta + 2\cos^2\theta + 1$ $= 2(\sin^2\theta + \cos^2\theta) + 1$ $= 3$	$\frac{1}{2}$ $\frac{1}{2}$	
14.	length of arc $= \theta/360^\circ(2\pi r)$ $= 60/360(2 \times 22/7 \times 21)$ $= 22 \text{ cm}$	$\frac{1}{2}$ $\frac{1}{2}$	
15.	$\pi R^2 H = 12 \times 4 / 3 \pi r^3$ $1 \times 1 \times 16 = 4/3 \times r^3 \times 12$ $r^3 = 1$ $r = 1$ $d = 2\text{cm}$	$\frac{1}{2}$ $\frac{1}{2}$	
16.	probability of getting a doublet $= 1/6$ OR probability of getting a black queen $= 2/52 = 1/26$	1	
17.	(a) iii) $(15/2, 33/2)$ (b) i) 4 (c) iii) 16 (d) iv) $(2.0, 8.5)$ (e) ii) $x - 13 = 0$	1x4=4	
18.	(a) iii) 15 cm (b) iv) They are not the mirror image of one another (c) ii) Their altitudes have a ratio a:b (d) iv) 5m (e) iii) 6m		
19.	(a) ii) $(4, -2)$ (b) i) Intersects x-axis (c) iii) parabola		1x4=4


	(d) ii) $x^2 - 36$ (e) iii) 0	
20.	(a) iii) 43 (b) iii) 60 (c) ii) Median (d) iii) 80 (e) iii) 31	1x4=4

Part-B		
21.	4=2X2 7=7X1 14=2X7 $LCM=2X2X7=28$ The three bells will ring together again at 6:28 am	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
22.	Let P(x,0) be a point on X-axis $PA=PB$ $PA^2=PB^2$ $(x-2)^2+(0+2)^2=(x+4)^2+(0-2)^2$ $X^2+4-4x+4=x^2+16+8x+4$ $-4x+4=8x+16$ $X=-1$ $P(-1,0)$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
	OR	
	PR:QR=2:1 $R\left(\frac{1(-2)+2(3)}{2+1}, \frac{1(5)+2(2)}{2+1}\right)$ $R(4/3, 3)$	$\frac{1}{2}$ 1 $\frac{1}{2}$
23.	Sum of zeroes= $5-3\sqrt{2}+5+3\sqrt{2}=10$ Product of zeroes= $(5-3\sqrt{2})(5+3\sqrt{2})= 7$ $P(x)= X^2-10x+7$	$\frac{1}{2}$ 1 $\frac{1}{2}$
24.		Line seg=1/2 Circles=1/2 Tangents =1/2+ $\frac{1}{2}$

25.	$\begin{aligned} \tan A &= 3/4 = 3k/4k \\ \sin A &= 3k/5k = 3/5, \cos A = 4k/5k = 4/5 \\ 1/\sin A + 1/\cos A &= 5/3 + 5/4 \\ &= (20+15)/12 \\ &= 35/12 \end{aligned}$ <p style="text-align: center;">OR</p> $\begin{aligned} \sqrt{3} \sin \theta &= \cos \theta \\ \sin \theta / \cos \theta &= 1/\sqrt{3} \\ \tan \theta &= 1/\sqrt{3} \\ \theta &= 30^\circ \end{aligned}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
26.	$\begin{aligned} \angle A &= \angle OPA = \angle OSA = 90^\circ \\ \text{Hence, } \angle SOP &= 90^\circ \\ \text{Also, } AP &= AS \\ \text{Hence, OSAP is a square} \\ AP &= AS = 10\text{cm} \\ CR &= CQ = 27\text{cm} \\ BQ &= BC - CQ = 38 - 27 = 11\text{cm} \\ BP &= BQ = 11\text{ cm} \\ X &= AB = AP + BP = 10 + 11 = 21\text{ cm} \end{aligned}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
27.	$\begin{aligned} \text{Let } 2-\sqrt{3} \text{ be a rational number} \\ \text{We can find co-prime } a \text{ and } b (b \neq 0) \text{ such that} \\ 2-\sqrt{3} &= a/b \\ 2-a/b &= \sqrt{3} \\ \text{So we get, } (2a-b)/b &= \sqrt{3} \\ \text{Since } a \text{ and } b \text{ are integers, we get } (2a-b)/b \text{ is irrational and so} \\ \sqrt{3} &\text{ is rational. But } \sqrt{3} \text{ is an irrational number} \\ \text{Which contradicts our statement} \\ \text{Therefore } 2-\sqrt{3} &\text{ is irrational} \end{aligned}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
28.	$\begin{aligned} 3x^2 + px + 4 &= 0 \\ 3(2/3)2 + p(2/3) + 4 &= 0 \\ 4/3 + 2p/3 + 4 &= 0 \\ P &= -8 \\ 3x^2 - 8x + 4 &= 0 \\ 3x^2 - 6x - 2x + 4 &= 0 \\ X = 2/3 \text{ or } x &= 2 \\ \text{Hence, } x &= 2 \end{aligned}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$

	OR $\alpha + \beta = 5 \quad \dots(1)$ $\alpha - \beta = 1 \quad \dots(2)$ Solving (1) and (2), we get $\alpha = 3$ and $\beta = 2$ also $\alpha\beta = 6$ or $3(k-1) = 6$ $k-1=2$ $k=3$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
29.	<p>Area of 1 segment = area of sector – area of triangle $= (90^\circ/360^\circ)\pi r^2 - \frac{1}{2} \times 7 \times 7$ $= 1/4 \times 22/7 \times 7^2 - \frac{1}{2} \times 7 \times 7$ $= 14 \text{ cm}^2$</p> <p>Area of 8 segments = $8 \times 14 = 112 \text{ cm}^2$</p> <p>Area of the shaded region = $14 \times 14 - 112$ $= 196 - 112 = 84 \text{ cm}^2$</p> <p>(each petal is divided into 2 segments)</p>	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
30.	<p>$\Delta ABC \sim \Delta DEF$</p> $\frac{\text{Perimeter } (\Delta ABC)}{\text{Perimeter } (\Delta DEF)} = \frac{AB+BC+CA}{DE+EF+FD} = \frac{AB}{DE}$ $\frac{25}{15} = \frac{9}{X}$ $X = 5.4 \text{ cm}$ $DE = 5.4 \text{ cm}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$

OR



Construction-Draw $AM \perp BC$

$BD \perp 1/3 BC$, $BM = 1/2 BC$

In ΔABM ,

$$AB^2 = AM^2 + BM^2$$

$$= AM^2 + (BD + DM)^2$$

$$= AM^2 + DM^2 + BD^2 + 2BD \cdot DM$$

$$= AD^2 + BD^2 + 2BD(BM - BD)$$


$$= AD^2 + (BC/3)^2 + 2 \cdot BC/3 \cdot (BC/2 - BC/3)$$


$$= AD^2 + 2BC^2/9$$

$$= AD^2 + 2AB^2/9$$


$$\text{Hence, } 7AB^2 = 9AD^2$$

$\frac{1}{2}$

31.	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Class</th><th style="text-align: center;">Frequency</th><th style="text-align: center;">Cumulative frequency</th><th style="text-align: right; vertical-align: bottom;">1</th></tr> </thead> <tbody> <tr> <td>0-5</td><td style="text-align: center;">12</td><td style="text-align: center;">12</td><td></td></tr> <tr> <td>5-10</td><td style="text-align: center;">a</td><td style="text-align: center;">12+a</td><td></td></tr> <tr> <td>10-15</td><td style="text-align: center;">12</td><td style="text-align: center;">24+a</td><td></td></tr> <tr> <td>15-20</td><td style="text-align: center;">15</td><td style="text-align: center;">39+a</td><td></td></tr> <tr> <td>20-25</td><td style="text-align: center;">b</td><td style="text-align: center;">39+a+b</td><td></td></tr> <tr> <td>25-30</td><td style="text-align: center;">6</td><td style="text-align: center;">45+a+b</td><td></td></tr> <tr> <td>30-35</td><td style="text-align: center;">6</td><td style="text-align: center;">51+a+b</td><td></td></tr> <tr> <td>35-40</td><td style="text-align: center;">4</td><td style="text-align: center;">55+a+b</td><td></td></tr> <tr> <td>Total</td><td style="text-align: center;">70</td><td></td><td></td></tr> </tbody> </table>	Class	Frequency	Cumulative frequency	1	0-5	12	12		5-10	a	12+a		10-15	12	24+a		15-20	15	39+a		20-25	b	39+a+b		25-30	6	45+a+b		30-35	6	51+a+b		35-40	4	55+a+b		Total	70			½
Class	Frequency	Cumulative frequency	1																																							
0-5	12	12																																								
5-10	a	12+a																																								
10-15	12	24+a																																								
15-20	15	39+a																																								
20-25	b	39+a+b																																								
25-30	6	45+a+b																																								
30-35	6	51+a+b																																								
35-40	4	55+a+b																																								
Total	70																																									
	$55+a+b=70$ $a+b=15$ $\text{median} = l + \frac{\frac{N}{2} - cf}{f} \times h$ $16 = 15 + \frac{35-24-a}{15} \times 5$ $1 = (11-a)/3$ $A=8$	½																																								
	$55+a+b=70$ $55+8+b=70$ $B=7$	½																																								
32.	 <p>Let AB=candle C and D are coins $\tan 60^\circ = AB/BC = h/b$ $\sqrt{3} = h/b$ $H = b\sqrt{3}$ ----- (1)</p> <p>$\tan 30^\circ = AB/BD = h/a$ $1/\sqrt{3} = h/a$ $H = a/\sqrt{3}$ ----- (2)</p> <p>Multiplying (1) and (2), we get $H^2 = b\sqrt{3} \times a/\sqrt{3}$ $H^2 = b a$ $H = \sqrt{ab} \text{ m}$</p>	½																																								
		½																																								
		½																																								
		½																																								
		½																																								
		½																																								
		½																																								

33. $\text{Mode} = l + \frac{f_1 - f_0}{2f_1 - f_2 - f_0} \times h$ $67 = 60 + \frac{15-x}{30-12-x} \times 10$ $7 = \frac{15-x}{18-x} \times 10$ $7x(18-x) = 10(15-x)$ $126 - 7x = 150 - 10x$ $3x = 150 - 126$ $3x = 24$ $X = 8$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
34.  <p>Let BD=river AB=CD=palm trees=h BO=x OD=80-x In $\triangle ABO$, $\tan 60^\circ = h/x$ $\sqrt{3} = h/x$ ----- (1) $H = \sqrt{3}x$ In $\triangle CDO$, $\tan 30^\circ = h/(80-x)$ $1/\sqrt{3} = h/(80-x)$ ----- (2) Solving (1) and (2), we get $x = 20$ $H = \sqrt{3}x = 34.6$ the height of the trees = $h = 34.6\text{m}$ $BO = x = 20\text{m}$ $DO = 80 - x = 80 - 20 = 60\text{m}$</p>	1 $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$

OR



Let AB=Building of height 50m

RT= tower of height= h m

BT=AS=x m

AB=ST=50 m

RS=TR-TS=(h-50)m

In $\triangle ARS$, $\tan 30^\circ = RS/AS$

$$1/\sqrt{3} = (h-50)/x \quad \dots\dots\dots(1)$$

In $\triangle RBT$, $\tan 60^\circ = RT/BT$

$$\sqrt{3} = h/x \quad \dots\dots\dots(2)$$

Solving (1) and (2), we get

$$h = 75$$

from (2)

$$x = h/\sqrt{3}$$

$$= 75/\sqrt{3}$$

$$= 25\sqrt{3}$$

Hence, height of the tower=h=75m

Distance between the building and the tower= $25\sqrt{3}=43.25\text{m}$

1

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

35.

For pipe , $r = 1\text{cm}$

Length of water flowing in 1 sec, $h=0.7\text{m}=7\text{cm}$

Cylindrical Tank, $R=40\text{ cm}$, rise in water level= H

Volume of water flowing in 1 sec= $\pi r^2 h = \pi \times 1 \times 1 \times 70$
 $= 70\pi$

Volume of water flowing in 60 sec= $70\pi \times 60$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

1

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

Volume of water flowing in 30 minutes= $70\pi \times 60 \times 30$

Volume of water in Tank= $\pi r^2 H = \pi \times 40 \times 40 \times H$

Volume of water in Tank= Volume of water flowing in 30 minutes

$$\pi \times 40 \times 40 \times H = 70\pi \times 60 \times 30 \\ H = 78.75\text{cm}$$

36.	<p>Let speed of the boat in still water =x km/hr, and Speed of the current =y km/hr Downstream speed =($x+y$) km/hr Upstream speed =($x-y$) km/hr $\frac{24}{x+y} + \frac{16}{x-y} = 6$-----(1)</p> <p>$\frac{36}{x+y} + \frac{12}{x-y} = 6$-----(2)</p> <p>Let $\frac{1}{x+y} = u$ and $\frac{1}{x-y} = v$</p> <p>Put in the above equation we get, $24u+16v=6$ Or, $12u+8v=3$... (3) $36u+12v=6$ Or, $6u+2v=1$... (4) Multiplying (4) by 4, we get, $24u+8v=4v$... (5) Subtracting (3) by (5), we get, $12u=1$ $\Rightarrow u=1/12$ Putting the value of u in (4), we get, $v=1/4$ $\Rightarrow \frac{1}{x+y} = \frac{1}{12}$ and $\frac{1}{x-y} = \frac{1}{4}$ $\Rightarrow x+y=12$ and $x-y=4$ Thus, speed of the boat in still water = 8 km/hr, Speed of the current = 4 km/hr</p>	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$
-----	---	--

Buy the latest MTG CBSE books best prices at - <https://bit.ly/3QNnoOI>